

## Slotted screwdrivers DRALL+

4622



Product no. **46223580**  
GTIN **4018754339310**  
Model **DRALL+ 4622/3 8**



### Label.

Slotted screwdriver DRALL+ 1,2mm x 8mm L.150mm

### Properties.

- with hex shank profile
- for slotted screws
- black tip
- 3-component handle with laser marking
- Chrome Alloy Steel, matt chrome-plated
- DIN ISO 2380-1 / DIN ISO 2380-2 / DIN 5264

## Product highlights.



### Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.

### Robust.

Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.




## Technologies and features.



### 3-component handle

Our 3-component handle combines hard and soft components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.




### Impact cap

Our DRALL+ screwdriver is equipped with a metal impact cap for use in extreme conditions, enabling the screwdriver to be impacted with a mallet or hammer.



### Hex shank profile

Some of our DRALL+ screwdrivers have a hex shank profile at the base of the handle which can be used in conjunction with a spanner to apply more force when loosening tight screws.



### DRALL+

Our DRALL+ handle is non-slip and ergonomic. An extended grip zone protects the fingers and a hand stop prevents the tool from accidentally slipping or rolling away.

## Technical drawing.



## Technical attributes.

<b>Size</b>	3
<b>L1</b>	150 mm
<b>L2</b>	275 mm
<b>Width mm (b)</b>	8 mm
<b>a</b>	1,2 mm
<b>Drive profile</b>	slotted
<b>External hex (mm)</b>	13 mm
<b>DIN</b>	DIN ISO 2380-1, -2, DIN 5264, ISO 2380-1, -2

## Logistics data.

<b>Product no.</b>	46223580
<b>GTIN</b>	4018754339310
<b>Weight (g)</b>	159 g
<b>Volume (packaged, dm3)</b>	2.9036 dm3
<b>Packing standard</b>	10
<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82054000
<b>Country of origin AWR</b>	GERMANY
<b>Region of origin</b>	Nordrhein-Westfalen
<b>Depth mm (IFS)</b>	275
<b>Width mm (IFS)</b>	35
<b>Height mm (IFS)</b>	35
<b>Weight (gross, kg)</b>	2,006
<b>Weight PAP (kg)</b>	0,146
<b>Weight PVC (kg)</b>	0,000
<b>Length (packaged, mm)</b>	305
<b>Width (packaged, mm)</b>	112
<b>Height (packaging, mm)</b>	85

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal