



## Swedish pipe wrenches 90°

110



Product no. **56011006**  
GTIN **4022668110064**  
Model **11006 90° 3**

**Label.** Swedish pipe wrench 90° 3" L.685mm

- Properties.**
- Form A, angled at 90°
  - with optimum corner dimension for hidden and difficult-to-access screw connections
  - secure hold thanks to 3-point support
  - self-clamping on the workpiece
  - safety clamp protection against crushing injuries
  - adjusting nut secured against loss
  - DIN 5234 A

## Benefits.

Thanks to the 90° angled jaw shape, the pliers remain stable and parallel to the workpiece, even with large diameters.

The special 3-point support ensures a reliable grip, even on smooth or slippery surfaces.

For greater ergonomics and safety, the pliers are equipped with integrated pinch protection that effectively prevents crushing.

The adjustment screw allows for continuous and flexible adaptation to different workpiece sizes.

Made of durable Chrome Alloy Steel and additionally tempered for maximum durability and wear protection.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Particularly stable support.

The 90° angled jaw shape ensures a particularly stable, parallel support on the workpiece. This is a great advantage, especially when working on pipes, fittings or larger diameters where conventional pliers quickly slip off. The induction-hardened teeth also ensure a permanently strong grip.



PRODUCT IMAGE  
IN PROGRESS

### Safe, controlled power transmission.

The 3-point support guarantees a stable and reliable grip - even on slippery, lacquered or chrome-plated surfaces. Ideal for working on smooth metal pipes or sensitive materials where controlled power transmission is particularly important.



PRODUCT IMAGE  
IN PROGRESS

### Self-clamping for one-handed operation.

The finely crafted, precise teeth ensure a firm bite into the material and enable controlled turning. Once applied, the Swedish pipe wrench clamps itself onto the pipe. This allows for effortless one-handed operation, which is particularly advantageous in confined or hard-to-reach areas, such as under the sink or in installation shafts.

## Technical attributes.

Jaw opening max. (mm)	115 mm
Length mm (L)	685 mm
Header	Form C, according to DIN 5234
Handles	Double T-profile handle, fully forged
DIN	DIN 5234 A
Alloy	Chrome Vanadium Steel
Pipe diameter max. (inch)	3 "

## Logistics data.

Product no.	56011006
GTIN	4022668110064
Weight (g)	4900 g
Volume (packaged, dm <sup>3</sup> )	2.31 dm <sup>3</sup>
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82032000
Country of origin AWR	GERMANY
Region of origin	Thüringen
Depth mm (IFS)	700
Width mm (IFS)	110
Height mm (IFS)	30
Weight (gross, kg)	4,095
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003

Length (packaged, mm) 700

Width (packaged, mm) 110

Height (packaging, mm) 30

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Tel.: +49 202 4791-0

info@alarm-werkzeug.de · www.alarm-werkzeuge.de

© STAHLWILLE Eduard Wille GmbH, Wuppertal