




## Magnetic lifters

### 12600

Product no. **77260200**  
GTIN **4018754048779**  
Model **12600 3000**



#### Label.

Magnetic lifter Tension force 3000g Dia.19mm L.535mm

#### Properties.

- flexible magnetic lifter with ergonomically shaped handle
- for use in the workshop, industry, and household
- enables the recovery of nuts, bolts, and other small metallic parts from tight spaces

## Benefits.

Flexible magnetic lifter for picking up screws, nuts and small parts from hard-to-reach areas and gaps.

The extra narrow magnetic head and flexible shank effortlessly reach tight, angled areas, e.g. in the engine compartment.

With ergonomic handle and flexible, plastic-coated wire for safe gripping and pulling of objects.

Indispensable helper for use in the workshop, industry and household.

Strong magnet lifts metal objects up to 3000 g.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

#### Compact, strong magnetic head.

The slim magnetic head with a small diameter impresses with its strong lifting power. This makes it easy to pick up bolts, nuts, nails and small tools made of ferrous metals such as iron, cobalt, nickel and steel from tight corners, gaps and crevices.



PRODUCT IMAGE  
IN PROGRESS

### Flexible shank for hard-to-reach corners.

The flexible gooseneck adapts flexibly to any form and can reach even tight, awkward or hard-to-see corners and gaps. This makes it easy to retrieve lost metal parts, for example in the engine compartment, behind furniture or in machinery.



PRODUCT IMAGE  
IN PROGRESS

### Reliable support in every situation.

The robust plastic handle remains grippy, durable and reliable even under harsh conditions. For particularly deep-seated or stuck metal objects, the integrated hand stop provides additional support and more control when pulling them out.

## Technical attributes.

|                   |        |
|-------------------|--------|
| Length mm (L)     | 535 mm |
| d                 | 19 mm  |
| Tension force (g) | 3000 g |

## Logistics data.

|                                     |                          |
|-------------------------------------|--------------------------|
| Product no.                         | 77260200                 |
| GTIN                                | 4018754048779            |
| Weight (g)                          | 297 g                    |
| Volume (packaged, dm <sup>3</sup> ) | 0.722912 dm <sup>3</sup> |
| Packing standard                    | 1                        |
| WEEE/ElektroG                       | nicht ear-pflichtig      |
| Customs tariff no.                  | 85051190                 |
| Country of origin AWR               | GERMANY                  |
| Region of origin                    | Nordrhein-Westfalen      |
| Depth mm (IFS)                      | 550                      |
| Width mm (IFS)                      | 40                       |
| Height mm (IFS)                     | 31                       |
| Weight (gross, kg)                  | 0,310                    |
| Weight PAP (kg)                     | 0,000                    |
| Weight PVC (kg)                     | 0,010                    |
| Length (packaged, mm)               | 551                      |
| Width (packaged, mm)                | 41                       |
| Height (packaging, mm)              | 32                       |

GTIN.



4 018754 048779



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal