



Combination spanner set

TCS 13217 WT OPEN BOX 13a/22

Product no. **96830125**
GTIN **4018754248803**
Model **OPEN BOX TCS WT 13a/22**



Label.

Combination spanner set OPEN BOX TCS WT 13a/22 3/16-1.1/16 22 pcs.

Properties.

- suitable for the 60 mm drawers of tool trolley No. 13217
- **imperial, identical** end sizes
- ring end straight, jaw end angled 15°
- ring with bi-hex and AS-Drive profile
- durable, slim and lightweight design
- high flexural strength due to double T-profile
- reinforced connection between jaw and shaft
- STAHLWILLE's rounded finish provides a non-slip, pleasant feel
- highly resilient and durable
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A / ISO 7738 Form A
- safely integrated in the modular Tool Control System (TCS)

Contains 22-pieces:

22 combination spanners **No. 13a**: 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16"

Benefits.

Made in Germany - Combination spanner set in TCS inlay, 22 pcs., 3/16-1.1/16 mm, ring side 15° angled, , Chrome Alloy Steel, chrom plated.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.




Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

| | |
|----------------------|--|
| Contents | 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16" |
| Length mm (L) | 250 mm |
| Width mm (b) | 460 mm |
| Height mm (h) | 60 mm |
| Range | 3/16-1.1/16 |
| Alloy | Chrome Alloy Steel, chrom plated |

Logistics data.

| | |
|-------------------------------|---------------------|
| Product no. | 96830125 |
| GTIN | 4018754248803 |
| Weight (g) | 2440 g |
| Volume (packaged, dm3) | 6.67 dm3 |
| Packing standard | 1 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82041100 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 460 |

| | | | |
|------------------------|---------------|-------------------------------|-------|
| Surface | chrome-plated | Width mm (IFS) | 250 |
| Number of tools | 22 pcs. | Height mm (IFS) | 58 |
| | | Weight (gross, kg) | 2,440 |
| | | Weight PAP (kg) | 0,000 |
| | | Weight PVC (kg) | 0,004 |
| | | Length (packaged, mm) | 460 |
| | | Width (packaged, mm) | 250 |
| | | Height (packaging, mm) | 58 |

Parts list.



40481212
Combination spanner



40481313
Combination spanner



40481414
Combination spanner



40481515
Combination spanner



40481616
Combination spanner



40481818
Combination spanner



40482020
Combination spanner



40482222
Combination spanner



40482424
Combination spanner



40482828
Combination spanner



40483232
Combination spanner



40483434
Combination spanner



40483535
Combination spanner



40483636
Combination spanner



40483838
Combination spanner



40484040
Combination spanner



40484141
Combination spanner



40484242
Combination spanner



40484444
Combination spanner



40484646
Combination spanner



40484848

Combination spanner

40485050

Combination spanner

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal