

## Torque screwdrivers TORSIOMETER

### 760/15



Product no. **51040015**  
GTIN **4018754118915**  
Model **760/15**



#### Label.

Torque screwdrivers TORSIOMETER Model 760/15 Hex 1/4"

#### Properties.

- indicating type
- torsion leaf spring as measuring element
- for clockwise and counter-clockwise tightening
- with drag pointer
- with 1/4" internal hex drive (F 6,3 DIN 3126 / ISO1173)
- comparative scale in-lb
- inserts and connectors with external hex E 6.3 (1/4") DIN 3126 / ISO 1173 fit securely in the bit holder
- calibration certificate in accordance with DIN EN ISO 6789-2:2017
- **accuracy ± 4%**


## Technologies and features.



#### DIN EN ISO 6789-2

Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.

## Technical drawing.



## Technical attributes.

Size	15
Anzeigeabweichung	± 4 %
Measuring range in-lb	3-13 in·lb
Measuring range cN·m	30-150 cN·m
Scale division cN·m	5 cN·m
Output hex drive internal (mm)	F 6,3 mm
Length mm (L)	185 mm
DIN	DIN 3126
internal hex drive [inch]	1/4 "

## Logistics data.

Product no.	51040015
GTIN	4018754118915
Weight (g)	225 g
Volume (packaged, dm <sup>3</sup> )	2.415 dm <sup>3</sup>
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	205
Width mm (IFS)	90
Height mm (IFS)	90
Weight (gross, kg)	0,460
Weight PAP (kg)	0,023
Weight PVC (kg)	0,000
Length (packaged, mm)	230
Width (packaged, mm)	100
Height (packaging, mm)	105

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal