



Electronics side cutters

6707

Product no. **67076000**
GTIN **4018754333196**
Model **6707 115**



Label.

Electronics side cutter L.115mm Header polished Handles 2-component handles

Properties.

- for demanding work in electronics/precision mechanics
- slim head design for use in confined work areas
- remarkable cutting performance: Ø 0.6 mm for hard wire and Ø 1.5 mm for soft wire
- long service life, no play, push-through joint
- with double leaf spring for smooth movement
- extended handle cover for better slip protection
- ergonomic thumb rest for optimal handling
- cutting edges induction hardened to approx. 62 HRC
- with 2-component handles
- DIN ISO 9654

Benefits.

Precision side cutters for fine cutting work in electronics or precision mechanics.

Self-opening and easy to use thanks to built-in double spring for gentle and precise movements.

The frictionless, self-opening double leaf spring enables soft and precise movement of the jaws.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

The fully inserted, play-free joint offers the highest precision with a consistently long service life.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Efficient use in confined installation spaces.

The slim head of the electronics cutter enables efficient use in confined installation spaces. The smooth-running joint reduces the effort required. The handle covers with multi-component material improve slip resistance and the ergonomic thumb rest optimises the handling of the pliers.



PRODUCT IMAGE
IN PROGRESS

Precision and durability.

The cutter is specially designed for the finest precision work. Its rigid box joint and sharp cutting edges guarantee precise cuts with different wire thicknesses. At the same time, the high-quality materials of the electronics pliers offer remarkable durability and service life.




PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality steel which gives it outstanding stability and durability in continuous use.

Technical drawing.



Technical attributes.

Length mm (L)	115 mm
Width mm (b)	56 mm

Logistics data.

Product no.	67076000
GTIN	4018754333196

Soft wire (1)	1,5 mm	Weight (g)	72 g
Medium-hard wire (2)	1 mm	Volume (packaged, dm ³)	0.1728 dm ³
Hard wire (3)	0,8 mm	Packing standard	1
Piano wire (4)	0,6 mm	WEEE/ElektroG	nicht ear-pflichtig
Header	polished	Customs tariff no.	82032000
Handles	2-component handles	Country of origin AWR	GERMANY
Head width electronics mm (a)	12 mm	Region of origin	Thüringen
Head thickness-electronics-mm (d)	8 mm	Depth mm (IFS)	120
DIN	DIN ISO 9654	Width mm (IFS)	80
Head length-electronics-mm (b)	14 mm	Height mm (IFS)	18
		Weight (gross, kg)	0,072
		Weight PAP (kg)	0,000
		Weight PVC (kg)	0,005
		Length (packaged, mm)	120
		Width (packaged, mm)	80
		Height (packaging, mm)	18

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal