



## IMPACT sockets 3/4"

55IMP

Product no. 25010030  
GTIN 4018754015726  
Model 55 IMP 30



**Label.** IMPACT socket 3/4 " 30mm L.54mm

- Properties.**
- with hex
  - 3/4" internal square drive
  - Chrome Alloy Steel, gunmetal finish
  - DIN 3129 / ISO 1711-2

## Product highlights.



### Optimised functionality.

All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.

### High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.



PRODUCT IMAGE  
IN PROGRESS

## Technical drawing.



## Technical attributes.

|                           |  |
|---------------------------|--|
| Size [mm]                 | 30 mm                                  |
| Square drive inner (inch) | 3/4 "                                  |
| Length mm (L)             | 54 mm                                  |
| Drive profile             | hex                                    |
| d1                        | 47,4 mm                                |
| d2                        | 44 mm                                  |
| DIN                       | DIN 3129 / ISO 1711-2                  |
| Alloy                     | Chrome Alloy Steel,<br>gunmetal finish |
| t                         | 26,5 mm                                |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Product no.            | 25010030            |
| GTIN                   | 4018754015726       |
| Weight (g)             | 438 g               |
| Volume (packaged, dm3) | 0.261415 dm3        |
| Packing standard       | 2                   |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Customs tariff no.     | 82042000            |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Depth mm (IFS)         | 54                  |
| Width mm (IFS)         | 48                  |
| Height mm (IFS)        | 48                  |
| Weight (gross, kg)     | 0,876               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,007               |
| Length (packaged, mm)  | 97                  |
| Width (packaged, mm)   | 49                  |
| Height (packaging, mm) | 55                  |

## GTIN.



## Accessories (for).



39023540  
IMPACT locking pin



39013650  
IMPACT rubber ring