



Sockets, imperial, 3/4"

55a

Product no. 05410056
GTIN 4018754009381
Model 55a 1.1/4



Label. 3/4 " Socket Size 1 1/4" L.58mm

- Properties.**
- bi-hex with AS-Drive profile
 - 3/4" internal square drive
 - HPQ® high performance steel, chrome-plated
 - SAE AS 954-E (test values) / ASME B 107.1

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [inch]	1 1/4 "
Square drive inner (inch)	3/4 "
Length mm (L)	58 mm
Drive profile	bi-hex AS-Drive
d1	44,5 mm
d2	38 mm
d3	30,5 mm
Alloy	HPQ® high performance steel
t1	22 mm
t2	32,6 mm

Logistics data.

Product no.	05410056
GTIN	4018754009381
Weight (g)	339 g
Volume (packaged, dm3)	0.2835 dm3
Packing standard	2
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	58
Width mm (IFS)	45
Height mm (IFS)	45
Weight (gross, kg)	0,620
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	90
Width (packaged, mm)	70
Height (packaging, mm)	45

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal