

## Pipe wrenches PowerGRIP

**6573**



Product no. **65735250**  
GTIN **4018754206810**  
Model **PowerGRIP 6573 250**

**Label.** Pipe wrench PowerGRIP L.250mm

- Properties.**
- smooth jaws to protect sensitive surfaces
  - secure grip when screwing, holding and bending
  - quick adjustment of the pipe wrench at the push of a button
  - for workpieces with parallel surfaces (nuts, screws, etc.)
  - variable and smooth fine adjustment
  - high transmission ratio for noticeable manual force amplification
  - with built-in protection against crush injuries
  - high-quality, hardened and tempered for excellent wear resistance
  - plastic coated handles

## Benefits.

Sturdy pipe wrenches for gripping, holding, pressing and bending workpieces with flat surfaces (thin sheet metal, nuts, screws, etc.).

Use of the jaw stroke enables a "ratchet effect" for additional bolting function.

The pliers feature a non-slip plastic coating and built-in crush protection for improved ergonomics and safety.

Gentle bolting of sensitive fittings up to 36 mm thanks to smooth, parallel jaws without serration.

Infinitely variable and smooth-running quick adjustment at the push of a button on the tool.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### **Practical ratchet effect.**

The pipe wrench has a multifunctional design due to the special jaw stroke of the gripping jaws and thus also has a ratchet function.



PRODUCT IMAGE  
IN PROGRESS

### **Precise fine adjustment.**

Adaptation to the workpiece is achieved by precise, multi-stage quick adjustment of the pivot pin. Quick adjustment via push button makes the pipe wrench comfortable and flexible to use.



PRODUCT IMAGE  
IN PROGRESS

### **Gentle application.**

The full-surface and profile-free parallel jaws of this pipe wrench enable safe and gentle gripping of workpieces, such as sensitive fittings up to a diameter of 36 mm.



PRODUCT IMAGE  
IN PROGRESS

### **Every action perfectly executed.**

The ergonomically designed handles are coated with a non-slip plastic with a rough surface texture. This makes the pliers comfortable to hold and enables fatigue-free working - even with dirty hands. The integrated clamp protection reliably protects against crush injuries.



PRODUCT IMAGE  
IN PROGRESS

### **High stability.**

The sliding slip joint with double support ensures exceptional stability and a particularly long service life, even under high loads. The robust design guarantees reliable performance, even under demanding conditions.

## Technical attributes.

Jaw opening max. (mm) 46 mm

## Logistics data.

Product no. 65735250

<b>Length mm (L)</b>	250 mm	<b>GTIN</b>	4018754206810
<b>Header</b>	chrome-plated	<b>Weight (g)</b>	485 g
<b>Handles</b>	plastic overlay with a textured surface	<b>Volume (packaged, dm3)</b>	0.4186 dm3
<b>Opening width adjustment</b>	14x	<b>Packing standard</b>	1
		<b>WEEE/ElektroG</b>	nicht ear-pflichtig
		<b>Customs tariff no.</b>	82032000
		<b>Country of origin AWR</b>	GERMANY
		<b>Region of origin</b>	Nordrhein-Westfalen
		<b>Depth mm (IFS)</b>	260
		<b>Width mm (IFS)</b>	70
		<b>Height mm (IFS)</b>	23
		<b>Weight (gross, kg)</b>	0,485
		<b>Weight PAP (kg)</b>	0,000
		<b>Weight PVC (kg)</b>	0,006
		<b>Length (packaged, mm)</b>	260
		<b>Width (packaged, mm)</b>	70
		<b>Height (packaging, mm)</b>	23

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal