



Sockets 1/4", metric

40

Product no. 01010045
GTIN 4018754000135
Model 40 4,5



Label.

1/4 " hex AS-Drive Socket Size 4,5mm L.23mm

Properties.

- hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / DIN EN 3709 / ASME B 107.5M

Benefits.

Made in Germany - STAHLWILLE 1/4 " Sockets 1/4", metric 4,5 mm Length 23 mm.

Product-specific forming - forged or cold-extruded - ensures exceptional strength and durability.

hex AS-Drive, HPQ® high performance steel, chrome-plated.

Extremely resilient, exceptionally durable.




Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

| | |
|---------------------------|---|
| Size [mm] | 4,5 mm |
| Square drive inner (inch) | 1/4 " |
| Length mm (L) | 23 mm |
| Drive profile | hex AS-Drive |
| d1 | 7,3 mm |
| d2 | 10,7 mm |
| d3 | 3,7 mm |
| DIN | DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709 |
| Alloy | HPQ® high performance steel |
| t1 | 4 mm |
| t2 | 15 mm |

Logistics data.

| | |
|------------------------|---------------------|
| Product no. | 01010045 |
| GTIN | 4018754000135 |
| Weight (g) | 9 g |
| Volume (packaged, dm3) | 0.027 dm3 |
| Packing standard | 10 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 23 |
| Width mm (IFS) | 11 |
| Height mm (IFS) | 11 |
| Weight (gross, kg) | 0,093 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,002 |
| Length (packaged, mm) | 90 |
| Width (packaged, mm) | 25 |

Height (packaging, mm)

12

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal