

QuickRelease extensions 1/4"

405QR



Product no. **11011005**
GTIN **4018754173662**
Model **405QR/14**



Label. 1/4 " QR extensions L.356mm

- Properties.**
- with QuickRelease safety lock
 - with ball locking function
 - Chrome Alloy Steel, chrome-plated
 - DIN 3123 / ISO 3316

Benefits.

QuickRelease secures every single link in the tool chain - from the ratchet to the extension to the socket.

Other locking systems on the market only fix the first insert tool on the ratchet.

More efficiency. Tool changing is not only safe, but is quicker.

Prevents the loss of sockets, even in hard-to-reach places or in long threaded holes.

Easily accessible and ergonomically optimised mechanism secures the tool without taking up extra space.



Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

Size	14
External square drive (inch)	1/4
Square drive inner (inch)	1/4 "
Length mm (L)	356 mm
d	11,6 mm
DIN	DIN 3123 / ISO 3316
Alloy	Chrome Alloy Steel, chrom plated

Logistics data.

Product no.	11011005
GTIN	4018754173662
Weight (g)	150 g
Volume (packaged, dm3)	0.152 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	355
Width mm (IFS)	11
Height mm (IFS)	11
Weight (gross, kg)	0,157
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
Length (packaged, mm)	380
Width (packaged, mm)	20
Height (packaging, mm)	20

GTIN.



4 018754 173662



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal