

Extensions 1/2"

509



Product no. **13010003**
GTIN **4018754012992**
Model **509/10**

Label. 1/2 " Extension L.255mm

Properties.

- Chrome Alloy Steel, chrome-plated
- DIN 3123 / ISO 3316 6

Benefits.

High-quality extension for use in the workshop, DIY or industry.

The socket wrench adaptor ensures optimum power transmission even in hard-to-reach places.

The high-quality Chrome Alloy Steel construction promises a long service life.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

Product highlights.



A solution for every situation.

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE
IN PROGRESS

Safe for hard-to-reach screws.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.




PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

Technical drawing.



Technical attributes.

Size	10
External square drive (inch)	1/2
Square drive inner (inch)	1/2 "
Length mm (L)	255 mm
d	23,2 mm
DIN	DIN 3123 / ISO 3316
Alloy	Chrome Alloy Steel, chrom plated

Logistics data.

Product no.	13010003
GTIN	4018754012992
Weight (g)	341 g
Volume (packaged, dm3)	0.6831 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	256
Width mm (IFS)	23
Height mm (IFS)	23
Weight (gross, kg)	1,720
Weight PAP (kg)	0,000
Weight PVC (kg)	0,012

Length (packaged, mm) 270

Width (packaged, mm) 110

Height (packaging, mm) 23

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal