

## Spark plug socket 3/8", with rubber insert, hex

4600

Product no. 02120036  
GTIN 4018754003204  
Model 4600



**Label.** 3/8 " Spark plug socket Size 16mm L.60mm

**Properties.**

- long version, with rubber insert
- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

Size [mm]	16 mm
Size [inch]	5/8 "
Square drive inner (inch)	3/8 "
Length mm (L)	60 mm
Drive profile	bi-hex AS-Drive
d1	21,7 mm
d2	19,5 mm
Alloy	HPQ® high performance steel
t1	15 mm
t2	47,8 mm

## Logistics data.

Product no.	02120036
GTIN	4018754003204
Weight (g)	84 g
Volume (packaged, dm3)	0.300608 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	60
Width mm (IFS)	22
Height mm (IFS)	22
Weight (gross, kg)	0,840
Weight PAP (kg)	0,000
Weight PVC (kg)	0,007
Length (packaged, mm)	112
Width (packaged, mm)	61
Height (packaging, mm)	44

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal