

QuickRelease extensions 1/2"

509QR



Product no. **13011001**
GTIN **4018754141265**
Model **509QR/2**



Label. 1/2 " QR extensions L.52mm

- Properties.**
- with QuickRelease safety lock
 - with ball locking function
 - Chrome Alloy Steel, chrome-plated
 - DIN 3123 / ISO 3316

Benefits.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

The high-quality Chrome Alloy Steel construction promises a long service life.

The socket wrench adaptor ensures optimum power transmission even in hard-to-reach places.

Patented QuickRelease locking system secures every component from ratchet and the joint to the socket without loss of space.



Product highlights.



PRODUCT IMAGE
IN PROGRESS

A solution for every situation.

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE
IN PROGRESS

Safe for hard-to-reach screws.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.



PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

Size	2
External square drive (inch)	1/2
Square drive inner (inch)	1/2 "
Length mm (L)	52 mm
d	23 mm

Logistics data.

Product no.	13011001
GTIN	4018754141265
Weight (g)	90 g
Volume (packaged, dm ³)	0.030528 dm ³
Packing standard	5

DIN
Alloy

DIN 3123 / ISO 3316
Chrome Alloy Steel,
chrom plated

WEEE/ElektroG
Customs tariff no.
Country of origin AWR
Region of origin
Depth mm (IFS)
Width mm (IFS)
Height mm (IFS)
Weight (gross, kg)
Weight PAP (kg)
Weight PVC (kg)
Length (packaged, mm)
Width (packaged, mm)
Height (packaging, mm)

nicht ear-pflichtig
82042000
GERMANY
Nordrhein-Westfalen
52
23
23
0,450
0,000
0,002
53
24
24

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal