

Sockets 3/8" imperial, long

46a



Product no. **02420046**
GTIN **4018754127030**
Model **46a 15/16**



Label. 3/8 " Socket Size 15/16" L.65mm

- Properties.**
- long version
 - bi-hex with AS-Drive profile
 - 3/8" internal square drive
 - HPQ® high performance steel, chrome-plated
 - ASME B 107.1 / Fed. Spec. GGG-W-641 / SAE AS 954-E


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [inch]	15/16 "
Square drive inner (inch)	3/8 "
Length mm (L)	65 mm
Drive profile	bi-hex AS-Drive
d1	31,5 mm
d2	29 mm
d3	22,6 mm
Alloy	HPQ® high performance steel
t1	30 mm
t2	50,7 mm

Logistics data.

Product no.	02420046
GTIN	4018754127030
Weight (g)	195 g
Volume (packaged, dm3)	0.594 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	65
Width mm (IFS)	32
Height mm (IFS)	32
Weight (gross, kg)	0,880
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
Length (packaged, mm)	180
Width (packaged, mm)	100
Height (packaging, mm)	33

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal