

## Sockets 3/8", metric, long

46



Product no. **02020022**  
GTIN **4018754002283**  
Model **46 22**



**Label.** 3/8 " Socket Size 22mm L.65mm

- Properties.**
- long version
  - bi-hex with AS-Drive profile
  - 3/8" internal square drive
  - HPQ® high performance steel, chrome-plated
  - size 20.8: with rubber insert for spark plugs
  - DIN 3124 / ISO 2725-1 / DIN EN 3710 / DIN EN 3709 / ASME B 107.5M

## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

Size [mm]	22 mm
Square drive inner (inch)	3/8 "
Length mm (L)	65 mm
Drive profile	bi-hex AS-Drive
d1	28,7 mm
d2	26,5 mm
d3	21 mm
DIN	DIN 3124 / ISO 2725-1, DIN EN 3710, DIN EN 3709, ASME B 107.5M
Alloy	HPQ® high performance steel
t1	30 mm
t2	51,2 mm

## Logistics data.

Product no.	02020022
GTIN	4018754002283
Weight (g)	178 g
Volume (packaged, dm3)	0.3528 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	65
Width mm (IFS)	30
Height mm (IFS)	30
Weight (gross, kg)	0,720
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
Length (packaged, mm)	90
Width (packaged, mm)	70
Height (packaging, mm)	56

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal