

Torque wrenches Standard MANOSKOP®

721Nf



Product no. **50200081**
GTIN **4018754031979**
Model **721NF/80**



Label.

MANOSKOP® torque wrench 721Nf 160-800N·m 3/4" L. 1050.5mm

Properties.

- clicking type with dual stop signal
- Quick adjustment thanks to easy-to-operate locking lever in handle
- with permanently installed ratchet
- 30 teeth
- dual scale N·m/ft·lb
- anti-clockwise tightening through a reversible square
- all sensitive parts are protected by the robust tubular steel housing in alu-U-profile
- optimal calibration with perfectControl® calibration systems No. 7794 or calibration systems No. 7706, 7791
- easy adjustment without disassembly via 2 external adjustment screws
- delivered in a textile bag
- calibration certificate in accordance with DIN EN ISO 6789-2:2017
- **accuracy ± 4%**

Product highlights.




**PRODUCT IMAGE
IN PROGRESS**

Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with 2 adjustment points for the maximum & minimum values.

Technologies and features.



Low-wear bending beam system


Our torque wrench is equipped with a low-wear release system with a bending beam. Unlike conventional torque wrenches with coiled springs, the bending beam is not subjected to any load until the tool is in operation, which means that resetting to '0' is not necessary after use.



DIN EN ISO 6789-2

Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.

Technical drawing.



Technical attributes.

Size	80
Anzeigeabweichung	$\pm 4 \%$
Measuring range N·m	160-800 N·m
Measuring range ft·lb	120-600 ft·lb
MA N·m	160 N·m
Nominal value N·m	800 N·m
Scale division N·m	20 N·m
Scale division ft·lb	20 ft·lb
External square drive (inch)	3/4
Length mm (L)	1050,5 mm
L1	- mm
b1	46,5 mm

Logistics data.

Product no.	50200081
GTIN	4018754031979
Weight (g)	6380 g
Volume (packaged, dm ³)	12.48 dm ³
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	1200
Width mm (IFS)	130
Height mm (IFS)	80

b2	76 mm	Weight (gross, kg)	7,060
Height mm (h)	42 mm	Weight PAP (kg)	0,000
DIN	DIN EN ISO 6789-2:2017	Weight PVC (kg)	0,040
LF	938 mm	Length (packaged, mm)	1200
		Width (packaged, mm)	130
		Height (packaging, mm)	80

GTIN.



Accessories (for).



81231101
Textile cases for large
torque wrench

Spare part(s), spare part(s) for.



59191080
Spare parts set for
ratchet

Images.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal