

## Slotted screwdrivers 3K DRALL®

4820



Product no. 48201065  
GTIN 4018754123025  
Model 3K DRALL® 4820 6,5



### Label.

Slotted screwdriver 3K DRALL® 1,2mm x 6.5mm L.150mm

### Properties.

- for slotted screws
- black tip
- 3-component handle with non-slip fibre coating and hanging hole
- Chrome Alloy Steel, matt chrome-plated
- DIN 5264 / ISO 2380

## Product highlights.



### Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.

### Robust.

Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.



### Versatile.

The lever hole allows even more power and torque if necessary.




## Technologies and features.



### 3K DRALL®

The STAHLWILLE 3K DRALL® handle with non-slip, special fibre-coated surface enables fatigue-free working and maximum power transmission. An ingenious opening serves both as a hanging hole and as a lever hole for additional force and high torque.

## Technical drawing.



## Technical attributes.

L1	150 mm
L2	265 mm
Width mm (b)	6,5 mm
a	1,2 mm
Drive profile	slotted
DIN	DIN 5265, ISO 2380

## Logistics data.

Product no.	48201065
GTIN	4018754123025
Weight (g)	100 g
Volume (packaged, dm <sup>3</sup> )	1.89475 dm <sup>3</sup>
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82054000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	254
Width mm (IFS)	33
Height mm (IFS)	26
Weight (gross, kg)	1,050
Weight PAP (kg)	0,082
Weight PVC (kg)	0,000
Length (packaged, mm)	265
Width (packaged, mm)	110
Height (packaging, mm)	65

**GTIN.**



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal