



Spare parts set for ratchet 415QR, 725QR/4

4150QR

Product no. **19011020**
GTIN **4018754187584**
Model **4150QR**



Label.


Spare parts set for ratchet Drive 1/4 for 415QR, 725QR/4

Properties.

Contains 11-pieces:

1 pinion; 1 locking disc; 2 lever with pin; 1 ball; 2 compression springs; 2 retaining screws M 1.7 x 8; 2 cover plates

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

| | |
|------------------------------|----------------|
| for model | 415QR, 725QR/4 |
| External square drive (inch) | 1/4 |
| Number of tools | 11 pcs. |

Logistics data.

| | |
|-------------------------------------|------------------------|
| Product no. | 19011020 |
| GTIN | 4018754187584 |
| Weight (g) | 24 g |
| Volume (packaged, dm ³) | 0.0896 dm ³ |
| Packing standard | 1 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Country of origin AWR | GERMANY |

| | |
|------------------------|---------------------|
| Region of origin | Nordrhein-Westfalen |
| Depth mm (IFS) | 30 |
| Width mm (IFS) | 30 |
| Height mm (IFS) | 16 |
| Weight (gross, kg) | 0,024 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,000 |
| Length (packaged, mm) | 70 |
| Width (packaged, mm) | 80 |
| Height (packaging, mm) | 16 |

Parts list.



92050069
Locking disk



92050070
Cover plate



92050072
Switch lever pin



92050074
Pressure spring



92054815
Cover plate



92054838
Torque wrench screws



92055379
Gear lever



92055787
Pressure spring



92055864
Gear lever



92060389
Bit



92070043
Ball

GTIN.



Spare part(s), spare part(s) for.



11110020
QR ratchet



58253004
QuickRelease ratchet
insert tool