



Sockets 1/2", metric

52

Product no. **03030036**
GTIN **4018754283675**
Model **52 36**



Label. 1/2 " Socket Size 36mm L.52mm

Properties.

- hex with AS-Drive profile
- 1/2" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / ASME B 107.5M / DIN EN 3709

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	36 mm
Square drive inner (inch)	1/2 "
Length mm (L)	52 mm
Drive profile	hex AS-Drive
d1	48 mm
d2	31 mm
d3	34 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709
Alloy	HPQ® high performance steel
t1	24 mm
t2	30,9 mm

Logistics data.

Product no.	03030036
GTIN	4018754283675
Weight (g)	305 g
Volume (packaged, dm3)	1.05 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	52
Width mm (IFS)	48
Height mm (IFS)	48
Weight (gross, kg)	1,525
Weight PAP (kg)	0,000
Weight PVC (kg)	0,010
Length (packaged, mm)	140
Width (packaged, mm)	150
Height (packaging, mm)	50

GTIN.



4 018754 283675



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal