



Uniflex sockets 1/4"

402aSP

Product no. 01542016
GTIN 4018754170876
Model 402aSP 1/4 Spline



Label. 1/4 " Uniflex sockets L.32mm

- Properties.**
- for external Spline-Drive screws
 - 1/4" internal square drive
 - HPQ® high performance steel, chrome-plated
 - MS-33787 / MIL-W-8982


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [inch]	1/4 "
Size drive profile	8
Square drive inner (inch)	1/4 "
Length mm (L)	32 mm
Drive profile	Spline-Drive
d1	9,5 mm
d2	12,7 mm
d3	5,6 mm
Alloy	Chrome Alloy Steel, chrom plated
t1	6,4 mm
t2	9,8 mm

Logistics data.

Product no.	01542016
GTIN	4018754170876
Weight (g)	16 g
Volume (packaged, dm3)	0.0455 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	32
Width mm (IFS)	13
Height mm (IFS)	13
Weight (gross, kg)	0,084
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	70
Width (packaged, mm)	50
Height (packaging, mm)	13

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal