

Uniflex sockets 3/8", metric

47



Product no. 02040016
GTIN 4018754002528
Model 47 16



Label. 3/8 " Uniflex sockets Size 16mm L.51.5mm

Properties.

- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	16 mm
Square drive inner (inch)	3/8 "
Length mm (L)	51,5 mm
Drive profile	bi-hex AS-Drive
d1	21,8 mm
d2	17,5 mm
d3	15 mm
Alloy	HPQ® high performance steel
t1	14 mm
t2	17 mm

Logistics data.

Product no.	02040016
GTIN	4018754002528
Weight (g)	58 g
Volume (packaged, dm3)	0.022748 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	47
Width mm (IFS)	22
Height mm (IFS)	22
Weight (gross, kg)	0,290
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	47
Width (packaged, mm)	22
Height (packaging, mm)	22

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal