

Socket 1/4", long, bolt clearance

40aLSP



Product no. **01021007**
GTIN **4018754170852**
Model **40aLSP 7/32 Spline**



Label. 1/4 " Socket Size 7/32" L.50.8mm

- Properties.**
- long version, deep drilled
 - for external Spline-Drive screws
 - 1/4" internal square drive
 - HPQ® high performance steel, chrome-plated
 - MS-33787 / MIL-W-8982


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [inch]	7/32 "
Size drive profile	7
Square drive inner (inch)	1/4 "
Length mm (L)	50,8 mm
Drive profile	Spline-Drive
d1	8,6 mm
d2	10,7 mm
d3	5 mm
Alloy	HPQ® high performance steel
t1	6 mm
t2	42,8 mm

Logistics data.

Product no.	01021007
GTIN	4018754170852
Weight (g)	18 g
Volume (packaged, dm3)	0.0441 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	105
Width mm (IFS)	28
Height mm (IFS)	15
Weight (gross, kg)	0,180
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	105
Width (packaged, mm)	28
Height (packaging, mm)	15

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal