

QuickRelease universal joint 1/2"

510QR



Product no. **13021000**
GTIN **4018754151028**
Model **510QR**



Label. 1/2 " QR universal joint L.80mm

- Properties.**
- with QuickRelease safety lock
 - with ball locking function
 - Chrome Alloy Steel, chrome-plated
 - patented
 - DIN 3123 / ISO 3316


Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical drawing.



Technical attributes.

External square drive (inch)	1/2
Square drive inner (inch)	1/2 "
Length mm (L)	80 mm
d	25 mm
DIN	DIN 3123 / ISO 3316
Alloy	Chrome Alloy Steel, chrom plated

Logistics data.

Product no.	13021000
GTIN	4018754151028
Weight (g)	155 g
Volume (packaged, dm3)	0.0676 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	80
Width mm (IFS)	25
Height mm (IFS)	25
Weight (gross, kg)	0,800
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	100
Width (packaged, mm)	26
Height (packaging, mm)	26

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal