



Sockets 1/2", metric

50

Product no. 03010036
GTIN 4018754283668
Model 50 36



Label. 1/2 " Socket Size 36mm L.52mm

Properties.

- bi-hex with AS-Drive profile
- 1/2" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / DIN EN 3709 / ASME B 107.5 M

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	36 mm
Square drive inner (inch)	1/2 "
Length mm (L)	52 mm
Drive profile	bi-hex AS-Drive
d1	48 mm
d2	31 mm
d3	34 mm
DIN	DIN 3124 / ISO 2725-1, DIN EN 3709, ASME B 107.5 M
Alloy	HPQ® high performance steel
t1	24 mm
t2	30,9 mm

Logistics data.

Product no.	03010036
GTIN	4018754283668
Weight (g)	286 g
Volume (packaged, dm3)	0.432 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	48
Width mm (IFS)	48
Height mm (IFS)	52
Weight (gross, kg)	1,436
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
Length (packaged, mm)	120
Width (packaged, mm)	60
Height (packaging, mm)	60

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal