



Manual calibration systems 7706

7706

Product no.	96521068
GTIN	4018754179138
Model	7706-8PC



Label. Manual calibration system

Properties.

- the special power transmission system prevents the force application point from shifting
- the handwheel drives a lever linearly via a spindle, whereby this movement is converted into a rotary movement for the transducer
- 2 ball-bearing bushings ensure a friction-free contact surface and enable the horizontal alignment of the wrench
- the torque wrench remains in position whilst the load is being applied
- minimal transverse forces and reduced friction minimise measurement errors
- protected by national and international patents

Contains:

transducer, square adaptor, USB adaptor, cable, management software for calibration certificates

Technical attributes.

Length mm (L)	605 mm
Width mm (b)	323 mm
Height mm (h)	535 mm
Range N·m	1-10 N·m

Logistics data.

Product no.	96521068
GTIN	4018754179138
Weight (g)	14400 g
Volume (packaged, dm ³)	104.547025 dm ³
Packing standard	1
WEEE/ElektroG	Großgeräte B2C
Customs tariff no.	90318080
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	605
Width mm (IFS)	323
Height mm (IFS)	535

Weight (gross, kg)	14,400
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
Length (packaged, mm)	605
Width (packaged, mm)	323
Height (packaging, mm)	535

Parts list.



12030001
Square drive adaptor



31150000
Bit adaptor



31160000
Manual bit adaptor



52110051
Jack cable



52110054
Jack-push/pull cable



52111057
USB adaptor



58521090
Stand alone mechanical
loader for torque
screwdrivers



81320002
Plastic case



81500003
Plastic box, empty



96524011
Laboratory transducer



96583629
USB adaptor, jack cable
and TorkMaster
software

GTIN.



4 018754 179138

