

## VDE single-ended ring spanners

### 12161 VDE



Product no. **44190010**  
GTIN **4018754254026**  
Model **12161 VDE 10**



#### Label.

VDE single-ended ring spanner Size 10mm

#### Properties.


- **metric** spanner sizes
- bi-hex with AS-Drive profile
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
- Chrome Alloy Steel, chrome-plated

## Technologies and features.



#### Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the screw head.



#### Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

## Technical drawing.



## Technical attributes.

Size 1 [mm]	10 mm
Length mm (L)	147,6 mm
a	13 mm
d	19,6 mm
DIN	DIN EN 60900
Alloy	Chrome Alloy Steel, chrom plated

## Logistics data.

Product no.	44190010
GTIN	4018754254026
Weight (g)	48 g
Volume (packaged, dm <sup>3</sup> )	0.03861 dm <sup>3</sup>
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	142
Width mm (IFS)	17
Height mm (IFS)	11
Weight (gross, kg)	0,050
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
Length (packaged, mm)	143
Width (packaged, mm)	18
Height (packaging, mm)	15

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal