



## VDE sockets 3/8", metric

### 12171 VDE



Product no. 02380016  
GTIN 4018754253531  
Model 12171 VDE 16



**Label.** 3/8 " VDE socket Size 16mm L.49mm

- Properties.**
- bi-hex with AS-Drive profile
  - 3/8" internal square drive
  - VDE insulated up to 1,000 V
  - protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
  - HPQ® high performance steel, chrome-plated


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

Size [mm]	16 mm
Square drive inner (inch)	3/8 "
Length mm (L)	49 mm
Drive profile	bi-hex AS-Drive
d1	26,7 mm
DIN	DIN EN 60900
Alloy	HPQ® high performance steel

## Logistics data.

Product no.	02380016
GTIN	4018754253531
Weight (g)	48 g
Volume (packaged, dm3)	0.0735 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	48
Width mm (IFS)	26
Height mm (IFS)	26
Weight (gross, kg)	0,055
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	60
Width (packaged, mm)	35
Height (packaging, mm)	35

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal