



Sockets 3/8", metric

45

Product no. **02010014**
GTIN **4018754001972**
Model **45 14**



Label. 3/8 " Socket Size 14mm L.30mm

- Properties.**
- bi-hex with AS-Drive profile
 - 3/8" internal square drive
 - HPQ® high performance steel, chrome-plated
 - DIN 3124 / ISO 2725-1 / ASME B 107.5M / DIN EN 3709

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	14 mm
Square drive inner (inch)	3/8 "
Length mm (L)	30 mm
Drive profile	bi-hex AS-Drive
d1	19,4 mm
d2	17,5 mm
d3	13 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709
Alloy	HPQ® high performance steel
t1	11,5 mm
t2	15,8 mm

Logistics data.

Product no.	02010014
GTIN	4018754001972
Weight (g)	28 g
Volume (packaged, dm3)	0.107666 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	25
Width mm (IFS)	20
Height mm (IFS)	20
Weight (gross, kg)	0,340
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	101
Width (packaged, mm)	41
Height (packaging, mm)	26

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal