



Electronics end cutters

6709

Product no. **67096000**
GTIN **4018754333219**
Model **6709 120**



Label.

Electronics end cutter L.120mm Header polished Handles 2-component handles

Properties.

- for demanding work in electronics/precision mechanics
- 90° rotated and side-angled cutting geometry
- slim head design for use in confined work areas
- long service life, no play, push-through joint
- with double leaf spring for smooth movement
- extended handle cover for better slip protection
- ergonomic thumb rest for optimal handling
- cutting edges induction hardened to approx. 62 HRC
- with 2-component handles
- DIN ISO 9654

Benefits.

Precision end cutter for fine cutting work in electronics or precision mechanics.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

The frictionless, self-opening double leaf spring enables soft and precise movement of the jaws.

Cutting edge geometry rotated by 90° enables precise, vertical work on straight surfaces such as boards.

The fully inserted, play-free joint offers the highest precision with a consistently long service life.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Optimal handling.

The slim head of the electronics cutter means it can be used in confined work areas. The smooth-running double leaf spring joints reduce effort, while the extended handle covers with multi-component material provide improved slip resistance and added comfort.



PRODUCT IMAGE
IN PROGRESS

Optimised cutting geometry.

The cutting edges are rotated 90° and angled sideways. This special geometry facilitates precise cutting in certain situations, especially when working on boards or other flat materials where a particularly precise cutting angle is required.



PRODUCT IMAGE
IN PROGRESS

Precision and durability.

The cutter is specially designed for the finest precision work. Its rigid box joint and sharp cutting edges guarantee precise cuts with different wire thicknesses. At the same time, the high-quality materials of the electronics pliers offer remarkable durability and service life.




PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality steel which gives it outstanding stability and durability in continuous use.

Technical drawing.



Technical attributes.

Length mm (L)	120 mm
Width mm (b)	56 mm
Soft wire (1)	0,6 mm
Medium-hard wire (2)	0,3 mm
Header	polished
Handles	2-component handles
Head width electronics mm (a)	12 mm
Head thickness-electronics-mm (d)	17 mm
DIN	DIN ISO 9654
Head length-electronics-mm (b)	6 mm

Logistics data.

Product no.	67096000
GTIN	4018754333219
Weight (g)	80 g
Volume (packaged, dm3)	0.1944 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82032000
Country of origin AWR	GERMANY
Region of origin	Thüringen
Depth mm (IFS)	120
Width mm (IFS)	90
Height mm (IFS)	18
Weight (gross, kg)	0,080
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	120
Width (packaged, mm)	90
Height (packaging, mm)	18

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal