

QuickRelease fine-tooth ratchet 3/8"

452QR



Product no.	12261010
GTIN	4018754286379
Model	452QR



Label.

QR fine-tooth flexible ratchet 3/8 RSW.4.5° L.300mm

Properties.

- 3/8" external square drive
- reversible
- 80 teeth
- for working in tight spaces, with a working angle of just 4.5°
- with QuickRelease safety lock
- handle can be swivelled up and down by approximately 90°, locking in the following positions: straight, 30° up, 60° up, 30° down
- lock releases at the push of a button
- with 2-component handle
- FOD-preventive due to screwless design
- DBGM (German Federal Utility Model)
- Chrome Alloy Steel, chrome-plated
- DIN 3122 / ISO 3315

Benefits.

Unique QR locking system - secures every component from ratchet to extension to socket without wasting space.

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.



Foreign Object Damage

STAHLWILLE protects against FOD (Foreign Object Damage). Our tool is ideal for safety-relevant sectors such as aviation, thanks to the screwless design.



Fine-tooth ratchet mechanism

Our fine-tooth ratchets with 80 teeth re-engage after just 4.5° for maximum precision in confined spaces. 8 pairs of parallel teeth simultaneously ensure maximum load-bearing capacity and particularly smooth running, even at high torques.

Technical attributes.

External square drive (inch)	3/8
Length mm (L)	300 mm
Width mm (b)	28,2 mm
a	14,5 mm
Number of teeth	80
Working angle	4.5 °
DIN	DIN 3122 / ISO 3315
Alloy	Chrome Alloy Steel, chrom plated

Logistics data.

Product no.	12261010
GTIN	4018754286379
Weight (g)	350 g
Volume (packaged, dm3)	0.42875 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	300
Width mm (IFS)	30
Height mm (IFS)	30
Weight (gross, kg)	0,366
Weight PAP (kg)	0,000
Weight PVC (kg)	0,007
Length (packaged, mm)	350

Width (packaged, mm) 35

Height (packaging, mm) 35

GTIN.



Accessories (for).



02501024
Crowfoot spanner
heavy-duty



02501028
Crowfoot spanner
heavy-duty



02501032
Crowfoot spanner
heavy-duty



02501034
Crowfoot spanner
heavy-duty



02501036
Crowfoot spanner
heavy-duty



02501038
Crowfoot spanner
heavy-duty



02501040
Crowfoot spanner
heavy-duty



02501042
Crowfoot spanner
heavy-duty



12180026
Bit holder



02501044
Crowfoot spanner
heavy-duty



02501046
Crowfoot spanner
heavy-duty



12180030
Bit holder



02501048
Crowfoot spanner
heavy-duty



02501050
Crowfoot spanner
heavy-duty



02501052
Crowfoot spanner
heavy-duty



02501054
Crowfoot spanner
heavy-duty



02501056
Crowfoot spanner
heavy-duty



02501058
Crowfoot spanner
heavy-duty



02501060
Crowfoot spanner
heavy-duty



02501062
Crowfoot spanner
heavy-duty




12030001
Square drive adaptor



12030003
Square drive adaptor

Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal