



## Combination spanner sets OPEN BOX, metric

### OPEN BOX 14



Product no. **96401005**  
GTIN **4018754080717**  
Model **OPEN BOX 14/17**



#### Label.

Combination spanner set OPEN BOX 14/17 6-22 17 pcs.

#### Properties.

- **metric, identical** end sizes
- long design for higher power transmission
- ring-end cranked 10°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form B/ISO 7738 Form B
- in robust polyester roll-up tool pouch with hook-and-loop fastener
- mesh inserts allow visibility of the tools
- a compact storage solution to keep your tools safe
- embroidered STAHLWILLE logo

#### Benefits.

Made in Germany - Combination spanner set, 17 pcs., 6-22 mm, ring side angled 15°, DIN 3113 Form B / ISO 7738 Form B, Chrome Alloy Steel, chrom plated.

Special manufacturing process makes thin-walled rings possible - perfect for working in places that are difficult to access.

The practical roll-up tool pouch provides a well-organised storage solution.

The long force loading point requires less effort with constant torque.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.



## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



### Organised storage.


The set is stored in the pockets of a practical roll-up tool pouch. This makes it convenient and space-saving to carry around. Transparent mesh inserts allow you to see at a glance whether your tools are complete.

## Technologies and features.



### Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical drawing.



## Technical attributes.

<b>Contents</b>	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
<b>Model No.</b>	14/17
<b>Jaws angled</b>	10 °
<b>Range</b>	6-22
<b>DIN</b>	DIN 3113 Form B / ISO 7738 Form B
<b>Alloy</b>	Chrome Alloy Steel, chrom plated
<b>Surface</b>	chrome-plated
<b>Number of tools</b>	17 pcs.

## Logistics data.

<b>Product no.</b>	96401005
<b>GTIN</b>	4018754080717
<b>Weight (g)</b>	1874 g
<b>Volume (packaged, dm3)</b>	3.4884 dm3
<b>Packing standard</b>	1
<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82041100
<b>Country of origin AWR</b>	GERMANY
<b>Region of origin</b>	Nordrhein-Westfalen
<b>Packaging</b>	in robust roll-up tool pouch
<b>Depth mm (IFS)</b>	340
<b>Width mm (IFS)</b>	135
<b>Height mm (IFS)</b>	76

<b>Weight (gross, kg)</b>	2,502
<b>Weight PAP (kg)</b>	0,000
<b>Weight PVC (kg)</b>	0,008
<b>Length (packaged, mm)</b>	340
<b>Width (packaged, mm)</b>	135
<b>Height (packaging, mm)</b>	76

## Parts list.



40100606  
Combination spanner



40100707  
Combination spanner



40100808  
Combination spanner



40100909  
Combination spanner



40101010  
Combination spanner



40101111  
Combination spanner



40101212  
Combination spanner



40101313  
Combination spanner



40101414  
Combination spanner



40101515  
Combination spanner



40101616  
Combination spanner



40101717  
Combination spanner



40101818  
Combination spanner



40101919  
Combination spanner



40102020  
Combination spanner



40102121  
Combination spanner




40102222  
Combination spanner

GTIN.



Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal