

## Sockets 1/2", metric, long

51



Product no. **03020024**  
GTIN **4018754005673**  
Model **51 24**



**Label.** 1/2 " Socket Size 24mm L.83mm

- Properties.**
- long version
  - bi-hex with AS-Drive profile
  - 1/2" internal square drive
  - size 16 mm-5/8", 20.8 mm-13/16": with rubber insert for spark plugs
  - HPQ® high performance steel, chrome-plated
  - DIN 3124 / ISO 2725-1 / DIN EN 3710 / DIN EN 3709 / ASME B 107.5M


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

Size [mm]	24 mm
Square drive inner (inch)	1/2 "
Length mm (L)	83 mm
Drive profile	bi-hex AS-Drive
d1	32 mm
d2	30 mm
d3	21 mm
DIN	DIN 3124 / ISO 2725-1, DIN EN 3710, DIN EN 3709, ASME B 107.5M
Alloy	HPQ® high performance steel
t1	35 mm
t2	66,1 mm

## Logistics data.

Product no.	03020024
GTIN	4018754005673
Weight (g)	251 g
Volume (packaged, dm3)	0.496944 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	83
Width mm (IFS)	33
Height mm (IFS)	33
Weight (gross, kg)	1,256
Weight PAP (kg)	0,000
Weight PVC (kg)	0,009
Length (packaged, mm)	168
Width (packaged, mm)	87
Height (packaging, mm)	34

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal