

## Torque wrench Service MANOSKOP®

730/80



Product no. **50180080**  
GTIN **4018754114764**  
Model **730/80**



### Label.

Torque wrench Service MANOSKOP® 730/80 160-800N·m L. 970mm

### Properties.

- dual scale N·m/ft·lb
- with holder for interchangeable shell tools
- when combined with adaptor No. 7370/80, 14 x 18 mm insert tools can also be used (max. 650 N·m)
- delivered in a textile bag

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Adjustment does not require disassembly.


Quick adjustment from outside, no disassembly of the torque wrench required, with 2 adjustment points for the maximum & minimum values.

## Technologies and features.

**DIN EN  
ISO 6789-2**

### DIN EN ISO 6789-2


Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.



### Low-wear bending beam system

Our torque wrench is equipped with a low-wear release system with a bending beam. Unlike conventional torque wrenches with coiled springs, the bending beam is not subjected to any load until the tool is in operation, which means that resetting to '0' is not necessary after use.

## Technical drawing.



## Technical attributes.

Measuring range N·m	160-800 N·m
Measuring range ft·lb	120-600 ft·lb
Scale division N·m	20 N·m
Scale division ft·lb	20 ft·lb
External square drive (mm)	24,5 x 28 mm
Length mm (L)	970 mm
Width mm (b)	46 mm
Height mm (h)	43 mm
LF	990 mm
SF	95 mm

## Logistics data.

Product no.	50180080
GTIN	4018754114764
Weight (g)	4925 g
Volume (packaged, dm <sup>3</sup> )	10.296 dm <sup>3</sup>
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	1170
Width mm (IFS)	110
Height mm (IFS)	80
Weight (gross, kg)	5,680
Weight PAP (kg)	0,000

Weight PVC (kg)	0,040
Length (packaged, mm)	1170
Width (packaged, mm)	110
Height (packaging, mm)	80

**GTIN.**



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal