



Sockets 1/2", metric

52

Product no. 03030020
GTIN 4018754005925
Model 52 20



Label. 1/2 " Socket Size 20mm L.42mm

- Properties.**
- hex with AS-Drive profile
 - 1/2" internal square drive
 - HPQ® high performance steel, chrome-plated
 - DIN 3124 / ISO 2725-1 / ASME B 107.5M / DIN EN 3709

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	20 mm
Square drive inner (inch)	1/2 "
Length mm (L)	42 mm
Drive profile	hex AS-Drive
d1	27,2 mm
d2	25 mm
d3	19 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709
Alloy	HPQ® high performance steel
t1	15 mm
t2	25,5 mm

Logistics data.

Product no.	03030020
GTIN	4018754005925
Weight (g)	95 g
Volume (packaged, dm3)	0.41712 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	42
Width mm (IFS)	28
Height mm (IFS)	28
Weight (gross, kg)	0,950
Weight PAP (kg)	0,000
Weight PVC (kg)	0,007
Length (packaged, mm)	158
Width (packaged, mm)	60
Height (packaging, mm)	44

GTIN.



4 018754 005925



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal