

Torque screwdriver TORSIOMETER

760/30



Product no. **51040030**
GTIN **4018754118922**
Model **760/30**



Label.

Torque screwdriver TORSIOMETER Model 760/30 Hex 1/4"


Technologies and features.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical Drawing.



Technical Attributes.

Scale division cN·m	10 cN·m
Measuring range cN·m	60-300 cN·m
Measuring range in·lb	6-26 in·lb
Internal hex drive (mm)	F 6,3 mm
DIN	DIN 3126
Size	30
Internal hex drive [inch]	1/4 "
Length mm (L)	185 mm

Logistics data.

Depth mm (IFS)	205
Width mm (IFS)	90
Height mm (IFS)	90
Length (packed, mm)	205
Width (packed, mm)	90
Height (packed, mm)	90
Volume (packed, dm ³)	1.6605 dm ³
Product no.	51040030
Weight (gross, kg)	0,465
Weight PAP (kg)	0,110
Weight PVC (kg)	0,000
GTIN	4018754118922
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	230 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
51040007	760/7,5	Torque screwdriver TORSIOMETER Model 760/7,5 Hex 1/4"	4018754118908
51040015	760/15	Torque screwdriver TORSIOMETER Model 760/15 Hex 1/4"	4018754118915
51040030	760/30	Torque screwdriver TORSIOMETER Model 760/30 Hex 1/4"	4018754118922
51040060	760/60	Torque screwdriver TORSIOMETER Model 760/60 Hex 1/4"	4018754118939

GTIN-Code.



