



Combination spanner set OPEN BOX, metric

TCS OPEN BOX 14/21 6-36

Product no. **96838771**
GTIN **4018754171675**
Model **OPEN BOX TCS 14/21**



Label.

Combination spanner set OPEN BOX TCS 14/21 6-36 21 pcs.

Properties.

- **metric, identical** end sizes
- extra-long version for hard-to-reach bolted joints and higher force transmission
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 10°
- AS-Drive profile prevents damage to edges
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form B/ISO 7738 Form B
- safely integrated in the modular Tool Control System (TCS)

Contains 21-pieces:

21 combination spanners **No. 14:** 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21;
22; 24; 27; 30; 32; 36 mm

Benefits.

Made in Germany - Combination spanner set in TCS inlay, 21 pcs., 6-36 mm, ring side 15° angled, DIN 3113 Form B / ISO 7738 Form B, Chrome Alloy Steel.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.




Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.




Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Contents	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm
Length mm (L)	350 mm
Width mm (b)	530 mm
Height mm (h)	75 mm
Drawer dividers	3/3

Logistics data.

Product no.	96838771
GTIN	4018754171675
Weight (g)	4988 g
Volume (packaged, dm3)	17.82 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig

Range	6-36	Customs tariff no.	82041100
DIN	DIN 3113 Form B / ISO 7738 Form B	Country of origin AWR	GERMANY
Alloy	Chrome Alloy Steel	Region of origin	Nordrhein-Westfalen
Surface	chrome-plated	Depth mm (IFS)	550
Number of tools	21 pcs.	Width mm (IFS)	360
		Height mm (IFS)	90
		Weight (gross, kg)	6,000
		Weight PAP (kg)	0,398
		Weight PVC (kg)	0,000
		Length (packaged, mm)	550
		Width (packaged, mm)	360
		Height (packaging, mm)	90

Parts list.



40100606
Combination spanner

40100707
Combination spanner

40100808
Combination spanner

40100909
Combination spanner



40101010
Combination spanner

40101111
Combination spanner

40101212
Combination spanner

40101313
Combination spanner



40101414
Combination spanner

40101515
Combination spanner

40101616
Combination spanner

40101717
Combination spanner



40101818
Combination spanner

40101919
Combination spanner

40102121
Combination spanner

40102222
Combination spanner



40102424
Combination spanner



40102727
Combination spanner



40103030
Combination spanner



40103232
Combination spanner



40103636
Combination spanner

GTIN.



Images.



STAHlwILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHlwILLE Eduard Wille GmbH, Wuppertal